


Riverside Resource Recovery emission report – July 2025

The following charts summarise the emission data for the Riverside Resource Recovery facility. The charts show the **MAXIMUM** readings taken during the month.

July 2025 - Nitrogen Oxide



MONTHLY MEAN OF THE HALF HOURLY AVERAGE

Line 1 = 137.0 mg/Nm3


Line 2 = 149.2 mg/Nm3

Line 3 = 138.8 mg/Nm3

Why do we control and monitor Oxides of Nitrogen (NOx)?

NOx includes various compounds, but is usually used to group two gases; nitrogen dioxide (NO₂) and nitric oxide (NO). These can be formed naturally, but are also formed from man-made processes like fuel combustion or biomass burning. There are a number of health and environmental issues attributed to NOx, including smog, acid rain, and possibly global warming.

July 2025 - Carbon Monoxide



MONTHLY MEAN OF THE 10-MINUTE AVERAGE

Line 1 = 20.1 mg/Nm3

Line 2 = 20.0 mg/Nm3

Line 3 = 35.2 mg/Nm3

* seven, or more, 10-minute period exceedances, within a 24 hour day, constitute an exceedance of the EA permit conditions.


Following EA guidance and approval in May 2019, RRRL no longer report carbon monoxide against a half-hourly emissions limit value. Carbon monoxide is now monitored against the requirement to be 95% compliant against a 10-minute average value, of 150mg/Nm3, over a 24-hour period. Any 24-hour period where the 95% compliance level is breached will be highlighted in the chart above. The daily average emissions limit value of 50mg/Nm3 remains unchanged.

Why do we control and monitor Carbon Monoxide?

Carbon monoxide is both a common naturally occurring chemical and is manufactured by man. It is a colourless, odourless poisonous gas. Carbon monoxide is one of the eight substances for which the government has established an air quality standard as part of its national Air Quality Strategy.

Carbon monoxide can cause harmful health effects by reducing oxygen delivery to the body's organs and tissues.

July 2025 - Ammonia



MONTHLY MEAN OF THE HALF HOURLY AVERAGE


Line 1 = 0.3 mg/Nm3
 Line 2 = 0.3 mg/Nm3
 Line 3 = 0.4 mg/Nm3

Why do we control and monitor Ammonia?

Although in wide-use in several industries, ammonia is both caustic and hazardous. It is a colourless gas with a characteristic pungent odour.

Ammonia, unlike the other species monitored, is not a product from the incineration of waste but is actually introduced into the furnace. Under the right conditions, ammonia is able to reduce oxides of nitrogen found in the flue gas by the chemical process Selective Non-Catalytic Reduction (SNCR) to nitrogen and water vapour which are both non-hazardous.

July 2025 - TOC's



MONTHLY HALF HOURLY COMPLIANCE


Line 1 = 97.98%
 Line 2 = 98.25%
 Line 3 = 95.72%

Why do we control and monitor Total Organic Carbon (TOC)?

Total Organic Carbon (TOC) consists of a wide range of organic compounds including Volatile Organic Compounds (VOCs). VOCs are numerous, varied and found everywhere. VOCs are of general concern because of their ability to react with other pollutants (such as nitrogen oxides) in the lower atmosphere to form ozone. High concentrations of ozone at ground level can harm human health, damage crops and affect materials such as rubber. Some VOCs may be directly harmful to human health, contribute to global warming or destroy stratospheric ozone needed to shield the earth's surface from harmful ultra violet radiation.

As prescribed in the Industrial Emissions Directive (Column B method) and agreed with the Environment Agency, from 2025, Riverside began reporting 97 percentile annual compliance of TOC against a half-hourly ELV of 10mg/m3.

July 2025 - Hydrogen Chloride




MONTHLY MEAN OF THE HALF HOURLY AVERAGE

Line 1 = 1.2 mg/Nm3

Line 2 = 2.6 mg/Nm3

Line 3 = 1.9 mg/Nm3

July 2025 - Sulphur Dioxide



MONTHLY MEAN OF THE HALF HOURLY AVERAGE

Line 1 = 0.5 mg/Nm3


Line 2 = 0.1 mg/Nm3

Line 3 = 5.0 mg/Nm3

Why do we control and monitor Sulphur Dioxide and Hydrogen Chloride?

Both gases dissolve in water to form strong acids and thus can contribute to the formation of acid rain. Acid rain is environmentally damaging to crops, soils and waters.

July 2025 - Particulate (dust)



Following EA guidance and approval in July 2015, RRRL now monitor particulate emissions qualitatively as opposed to quantitatively. The Half Hourly and Daily ELVs no longer apply, the ELVs have been replaced by two alarm levels that prompt the operator to start an investigation or take further action these are set at: 1.5 mg/m³ – Warning Alarm and 5mg/m³ – Action Alarm.

Why do we control and monitor Particulates (dust)?

Particulates is the term used to describe tiny particles in the air, made up of a complex mixture of soot, organic and inorganic materials having a particle size less than or equal to 10 microns diameter (10 microns is equal to one hundredth part of a millimetre). Particulates is one of the eight substances for which the Government has established an air quality standard as part of its national Air Quality Strategy.

As part of our desire to build public trust we want to hear from you - please email enquires@corygroup.co.uk if you have questions regarding our emissions to air.